for net addition of claims) are hereby authorized to be charged to our Deposit Account No. 19-0036.

Amendment

In the Claims:



Please cancel claims 11-14, 18-21, 26 and 27 without prejudice or disclaimer.

Please substitute the following claim 1 for the pending claim 1:

1. (Twice amended) A compound having the Formula I:

B2

$$R_7$$
 R_5
 R_8
 R_6

or a pharmaceutically acceptable salt, prodrug or solvate thereof, wherein

X is one of O, S or CH₂;

Het is

 R_1 is selected from the group consisting of hydrogen, optionally substituted alkyl, heteroaryl optionally substituted with one or more groups independently selected from the group consisting of halo, halo(C_{1-6})alkyl, hydroxy(C_{1-6})alkyl, amino(C_{1-6})alkyl, hydroxy, nitro, C_{1-6} alkyl, C_{1-6} alkoxy, aminocarbonyl, carbamoyloxy, C_{1-6} alkylsulfonylamino, C_{1-6} acyl and amino, $C(O)R_{10}$, $CH_2C(O)R_{10}$, $S(O)R_{10}$, and SO_2R_{10} ;

HOGENKAMP et al. Appl. No. 09/814,123

R₂ and R₃ are independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, cyano, aminoalkyl, hydroxyalkyl, alkoxyalkyl, alkylthio, alkylsulfinyl, alkylsulfonyl, carboxyalkyl, alkylamino, dialkylamino, aminocarbonyl, alkylaminocarbonyl, arylaminocarbonyl, aralkylaminocarbonyl, alkylcarbonylamino, aralkylcarbonylamino, alkylcarbonyl, aminosulfonyl, alkylaminosulfonyl, and alkylsulfonyl;

R₅, R₆, R₇, and R₈ are independently selected from the group consisting of hydrogen, halo, haloalkyl, alkyl, alkenyl, alkynyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, alkoxyalkyl, nitro, amino, ureido, cyano, acylamino, amide, hydroxy, thiol, acyloxy, azido, alkoxy, carboxy, carbonylamido and alkylthiol;

R₁₀ is selected from the group consisting of amino, alkyl, alkenyl, alkynyl, OR₁₁, alkylamino, dialkylamino, dialkylamino, dialkylaminoalkenyl, cycloalkyl, heterocycle, heteroaryl, aryl, aralkyl, arylalkenyl, arylalkynyl, and cycloalkylalkylamino, all of which are optionally substituted; and

 R_{11} is selected from the group consisting of hydrogen, optionally substituted alkyl, and an alkalimetal.

Please substitute the following claim 15 for the pending claim 15:

15. (Twice Amended) A compound of claim 1, wherein:

 R_1 is $C(O)R_{10}$, $CH_2C(O)R_{10}$, or SO_2R_{10}

X is O or S;

R₁₀ is amino, optionally substituted C₁-C₆ alkyl, or a heterocycle selected from the group consisting of N-morpholinyl, N-pyrrolidinyl and N-piperazinyl;

 R_2 , and R_3 are independently hydrogen, $C_1\text{-}C_6$ alkyl, $C_1\text{-}C_6$ alkylthio or $C_1\text{-}C_6$ alkylsulfinyl,

 R_5 and R_6 are as defined in claim 1, and

 R_7 and R_8 are independently selected from the group consisting of hydrogen, halo, halo(C_1 - C_6)alkyl, C_1 - C_6 alkyl, hydroxy(C_1 - C_6)alkyl, amino(C_1 - C_6)alkyl, carboxy(C_1 - C_6)alkyl, nitro, amino, C_1 - C_6 acylamino, amide, hydroxy, thiol, C_1 - C_6 acyloxy, C_1 - C_6 alkoxy, carboxy, carbonylamido and C_1 - C_6 alkylthiol.

Box

B/3.

16. (Twice Amended) A compound of Formula I:

or a pharmaceutically acceptable salt, prodrug/or solvate thereof, wherein

X is O or S;

Het is

$$-N$$
 R_3
 R_3
 R_2

 R_1 is $C(O)R_{10}$, $CH_2C(O)R_{10}$, or SO_2R_{10} wherein R_{10} is amino, alkyl, N-morpholinyl, N-pyrrolidinyl or N-piperazinyl, all of which are optionally substituted;

R₂ and R₃ are independently hydrogen, C₁-C₆ alkyl, C₁-C₆ alkylthio or C₁-C₆ alkylsulfinyl; and

 R_5 , R_6 , R_7 and R_8 are independently selected from the group consisting of hydrogen, halo, halo(C_1 - C_6)alkyl, C_1 - C_6 alkyl, hydroxy(C_1 - C_6)alkyl, amino(C_1 - C_6)alkyl, carboxy(C_1 - C_6)alkyl, alkoxy(C_1 - C_6)alkyl, nitro, amino, C_1 - C_6 acylamino, amide, hydroxy, thiol, C_1 - C_6 acyloxy, C_1 - C_6 alkoxy, carboxy, carbonylamido and C_1 - C_6 alkylthiol.

Sub (13

22. (Twice Amended) A compound of Formula 1:

R₅
Het

or a pharmaceutically acceptable salt, prodrug or solvate thereof, wherein

X is O or S;

Het is

 R_1

 R_1 is $C(O)R_{10}$, wherein R_{10} is amino, N-morpholinyl, N-pyrrolidinyl or N-piperazinyl, all of which are optionally substituted;

R₂ and R₃ are independently hydrogen, C₁-C₆ alkyl, C₁-C₆ alkylthio or C₁-C₆ alkylsulfinyl; and


 R_5 , R_6 , R_7 and R_8 are independently selected from the group consisting of hydrogen, halo, halo(C_1 - C_6)alkyl, C_1 - C_6 alkyl, hydroxy(C_1 - C_6)alkyl, amino(C_1 - C_6)alkyl, carboxy(C_1 - C_6)alkyl, alkoxy(C_1 - C_6)alkyl, nitro, amino, C_1 - C_6 acylamino, amide, hydroxy, thiol, C_1 - C_6 acyloxy, C_1 - C_6 alkoxy, carboxy, carbonylamido and C_1 - C_6 alkylthiol.

Sub C5

25. (Once amended) A compound having the Formula I:

or a pharmaceutically acceptable salt, prodrug or solvate thereof, wherein

X is NR₉C(O) or C(O)NR₉, where R₉ is hydrogen or C₁-C₁₀ alkyl; Het is



R₁ is SO₂R₁₀;

R₂ and R₃ are independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, cyano, aminoalkyl, hydroxyalkyl, alkoxyalkyl, alkylthio, alkylsulfinyl, alkylsulfonyl, carboxyalkyl, alkylamino, dialkylamino, aminocarbonyl, alkylaminocarbonyl, arylaminocarbonyl, aralkylaminocarbonyl, alkylcarbonylamino, aralkylcarbonylamino, alkylcarbonyl, aminosulfonyl, alkylsulfonyl, and alkylsulfonyl;

R₅, R₆, R₇, and R₈ are independently selected from the group consisting of hydrogen, halo, haloalkyl, alkyl, alkenyl, alkynyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, alkoxyalkyl, nitro, amino, ureido, cyano, acylamino, amide, hydroxy, thiol, acyloxy, azido, alkoxy, carboxy, carbonylamido and alkylthiol;

R₁₀ is selected from the group consisting of amino, alkyl, alkenyl, alkynyl, OR₁₁, alkylamino, dialkylamino, dialkylamino, dialkylaminoalkenyl, cycloalkyl, heterocycle, heteroaryl, aryl, aralkyl, arylalkenyl, arylalkynyl, and cycloalkylalkylamino, all of which are optionally substituted; and

R₁₁ is selected from the group consisting of hydrogen, optionally substituted alkyl, and an alkalimetal.

